



| | | | | |
|---|-------------------------------------|---------------------|---|----------------------------|
|  | EC Declaration of Conformity | No. E32/14351/09 |  | Year of issue 09 |
|---|-------------------------------------|---------------------|---|----------------------------|

We

FAKRO PP Sp. z o.o.
ul. Węgierska 144a
33-300 Nowy Sącz, Poland

herewith declare that the product mentioned below corresponds to the relevant basic safety and health requirements of the EU directive 89/106/EEC and 93/68/EEC.

Product description:

Roof window type FV, FX, FVE and flashings intended to be used in domestic and commercial location

Applied harmonized standard:

EN 14351-1:2006

| Characteristics: | FV, FVE | FX |
|--|----------------------------|----------------------------|
| Resistance to wind load | Class C1/B1 ⁽¹⁾ | Class C1/B1 ⁽²⁾ |
| Resistance to snow load | 4H-16-4HT ⁽³⁾ | 4H-16-4HT ⁽³⁾ |
| Reaction to fire | npd ⁽⁴⁾ | npd ⁽⁴⁾ |
| External fire performance | npd | npd |
| Watertightness – Non-shielded (A) | Class E750 | Class E750 |
| Impact resistance [mm] | Class 3 – 450 mm | Class 3 – 450 mm |
| Load-bearing capacity of safety device | npd | npd |
| Acoustic performance [dB] | 32 (-1;-4) | 32 (-1;-4) |
| Thermal transmittance [W/m ² K] | 1,5 | 1,5 |
| Radiation properties - Solar factor | 0,59 | 0,59 |
| Radiation properties – Light transmittance | 0,77 | 0,77 |
| Air permeability | Class 3 | Class 3 |

⁽¹⁾ For window width > 1232 mm (48 1/2") or height > 1178 mm (46 3/8"): npd

⁽²⁾ For window width > 1230 mm (48") or height > 1397 mm (55"): npd

⁽³⁾ H- toughened glass, T – low emission coating

⁽⁴⁾ npd – no performance determined

The name and the address of the notified laboratory:

Centre of Building Construction – Engineering Prague, (Notified Body Nr. 1390), Palce of work: Zlín, K Cihelně 304, 764 32 Zlín – Louky, the Czech Republic
 Ift Rosenheim (Notified Body No 0757), Theodor-Gietl-Str. 7-9, 83026 Rosenheim, Germany

Nowy Sącz, 10.02.2009

FAKRO[®] PP Sp. z o.o.⁻²⁻
 33-300 Nowy Sącz, ul. Węgierska 144a
 tel. 0-18 444-0-444 fax 444-0-333
 NIP 734-28-87-530 Regon 492727063

Ewa Łukaszczyk-Haslik
 Kierownik Działu Certyfikacji
 i Kontroli Jakości

