

	Declaration of Performance	No. K01/CPR/14351/13	 EN 14351-1	Year of issue 12
---	-----------------------------------	--------------------------------	---	----------------------------

1. Window type (number): **BDL, BDL/U L3 (8716, 872J, 875Y); BDR, BDR/U L3 (8715, 872H, 875Z); BVP/BVU L3 (8714, 872K, 876A); BXP/BXU L3 (8713, 872L, 876B), BDL, BDL/U P2 (875F); BDR, BDR/U P2 (875G); BVP/BVU P2 (875H); BXP/BXU P2 (875J); BDL, BDL/U L5; BDR, BDR/U L5; BVP/BVU L5; BXP/BXU L5; BDL, BDL/U P5 (874N); BDR, BDR/U P5 (874P); BVP/BVU P5 (874R); BXP/BXU P5 (874S), (RB-xxxxxx)**

2. Identification code: **According to number on the window rating plate (positioned on the upper element of the sash)- below the example of the rating plate:**



3. Intended use: **L-shaped wooden windows intended to be used in domestic and commercial location**

4. Manufacturer: **FAKRO PP Sp. z o.o.
Węgierska 144a Street,
33-300 Nowy Sącz, Poland**

5. Authorised representative: **/.**

6. System of assessment and verification of constancy of performance: **3**

7. Harmonised standard: **EN 14351-1:2006+A1:2010**

8. Notified body: **Centre of Building Construction Engineering Prague (notification no. 1390), performed initial type test in system 3 (included in points 9.1-9.8) and prepared classification report.**

9. Declared performance:

Essential characteristics	Performance				Harmonised technical specification
	BDL/BDR, BVP/BXP, BDL/U, BDR/U, BVU/BXU				
	L3	P2	L5	P5	
9.1 Resistance to wind load	Class C3/B3 ⁽¹⁾	Class C3/B3 ⁽¹⁾	Class C3/B3 ⁽¹⁾	Class C3/B3 ⁽¹⁾	4.2 EN 14351-1:2006+A1:2010
9.2 Watertightness. Non-shielded (A)	Class 9A	Class 9A	Class 9A	Class 9A	4.5 EN 14351-1:2006+A1:2010
9.3 Dangerous substances	Do not contain	Do not contain	Do not contain	Do not contain	4.6 EN 14351-1:2006+A1:2010
9.4 Load-bearing capacity of safety device	Threshold value	Threshold value	Threshold value	Threshold value	4.8 EN 14351-1:2006+A1:2010
9.5 Acoustic performance [dB]	37 (-2;-5)	37 (-2;-5)	38 (-2;-5)	38 (-2;-5)	4.11 EN 14351-1:2006+A1:2010
9.6 Thermal transmittance [W/m ² K]	1.3	1.3	0,88	0,88	4.12 EN 14351-1:2006+A1:2010
Radiation properties:					
9.7 - Solar factor g	0.52	0,51	0,45	0,45	4.13 EN 14351-1:2006+A1:2010
- Light transmittance	0.69	0,69	0,59	0,60	
9.8 Air permeability	Class 3	Class 3	Class 3	Class 3	4.14 EN 14351-1:2006+A1:2010

⁽¹⁾ for the windows with the width of > 114 cm and height of > 140 cm: npd – no performance determined

10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9.

This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed on behalf of the manufacturer by:



Ewa Łukaszczyk-Haslik
(Certification and Quality Control Director)

Nowy Sącz, 01/07/2013